

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	668	324/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 17:40
L2	19	((324/202,225,339.ccls. 702/7.ccls.) and ((calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)).clm.	US-PGPUB	OR	ON	2008/05/23 17:48
L41	54	((HOMAN near\$3 DEAN).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 18:42
L42	58	(ROSTHAL near\$3 RICHARD).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 18:43
L43	38	(MINERBO near\$3 GERALD).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 18:43
L44	121	(BARBER near\$3 THOMAS).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 18:43
S97	739	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test\$3 correct\$3) near\$3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S98	3	("2004/0113609").URPN.	USPAT	OR	ON	2008/05/22 16:41
S99	31	("2519094" I "20010038287" I "4119847" I "4409480" I "4439831" I "4876511" I "4945233" I "5159577" I "5293128" I "6218842" I "6393364" I "6476609" I "6534985").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S100	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S101	5	("5293128").URPN.	USPAT	OR	ON	2008/05/22 16:41
S102	5	("4439831" I "4780678" I "4849699" I "4876511" I "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 16:41

S103	5988	324/334-343,344,346,351,355,356,368.ccls. 702/6,7,11,12,13.ccls. 175/40,45,50.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S104	228	S103 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S105	739	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test\$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S106	51	S104 not S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S107	448	324/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S108	127	S107 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S109	127	S108 not S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S110	120	S109 not S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S111	38	S103 and (correct\$3 compensat\$3) near3 (signal induc\$5 output) and compar\$3 with model\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S112	8	S103 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding) with (angle degree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S113	739	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test\$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41

S114	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S115	5	("5293128").URPN.	USPAT	OR	ON	2008/05/22 16:41
S116	5	("4439831" I "4780678" I "4849699" I "4876511" I "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 16:41
S117	3	("2004/0113609").URPN.	USPAT	OR	ON	2008/05/22 16:41
S118	31	("2519094" I "20010038287" I "4119847" I "4409480" I "4439831" I "4876511" I "4945233" I "5159577" I "5293128" I "6218842" I "6393364" I "6476609" I "6534985").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S119	5988	324/334-343,344,346,351,355,356,368.ccls. 702/6,7,11,12,13.ccls. 175/40,45,50.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S120	228	S119 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S121	739	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test\$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S122	51	S120 not S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S123	448	324/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S124	127	S123 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S125	8	S119 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding) with (angle degree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41

S126	127	S124 not S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S127	120	S126 not S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S128	38	S119 and (correct\$3 compensat\$3) near3 (signal induc\$5 output) and compar\$3 with model\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S129	450	(test\$3 calibrat\$3) near3 (loop coil winding) and (bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole logging adj tool)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S130	601	S119 and (gain phase) same (calibrat\$3 correct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S131	10	S119 and (gain phase) same (calibrat\$3 correct\$3) same (multiply multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S132	12	S119 and (calibrat\$3 correct\$3) with (multiply multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S133	1694	324/202,333,338,339,343,346.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S134	6426	324/202,334-343,344,346,351,355,356,368. ccls. 702/6,7,11,12,13.ccls. 175/40,45,50. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S135	276	S134 and (calibrat\$5 correct\$5 compensat \$5) near5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S136	135714	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole logging near3 tool)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41

S137	981	S136 and (calibrat\$5 correct\$5 compensat\$5) near\$5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S138	571	S134 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S139	5	("4439831" I "4780678" I "4849699" I "4876511" I "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 16:41
S140	5	("5293128").URPN.	USPAT	OR	ON	2008/05/22 16:41
S141	1281	S136 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S142	968	S141 not S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S143	382	702/7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S144	227	S134 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S145	589	S136 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S146	442	S145 not S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S147	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S148	247	324/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41

S149	10	S148 and (calibrat\$5 correct\$5 compensat\$5) near\$5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S150	68	S148 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S151	10	S148 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 16:41
S152	458	702/11.13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/22 17:47

5/23/2008 7:00:38 PM

C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10616710A3.wsp